

# COSTUME REFERENCE LIBRARY

## Commander Gree (Phase II)



Model **CC 2390**, Photo by **Bryon M.**



**Description:** Commander Gree (Phase II)

**Prefix:** CC

**Detachment:** Clone Trooper Detachment

**Context:** Episode III: Revenge of the Sith

Gree is a senior commander in the Grand Army of the Republic. Possessing a keen interest in alien species and cultures, the commander chose to be known as "Gree", a reference to an obscure alien species which Gree found particularly interesting. For operations in lush environments, Gree is equipped with camouflaged Phase II armor.

The 501st approval requirements are listed in black.

In the page below, items listed in blue are recommended features that will improve the quality of the costume. Items listed in red are intended to further enhance the finished costume.

***For 501st membership only the requirements in black need to be met.***

This Visual Guide has been reviewed by the detachment staff and the LMO team and is certified for use as a minimum approval guideline for GMLs. GMLs are free to approve this costume type.

- Any uncertainties or questionable aspects of the submitted costume should be brought to the appropriate DL/GML peer review section of the legion forum.

## Required Costume Components

The following costume components are present and appear as described below.



### Helmet

For 501st approval:

- Realistic Style ROTs Phase II Clone Helmet.
  - ◆ Fan-made helmet.
  - ◆ Some "name brand" helmets may be unacceptable.
- Green mirrored lens.
- Helmet mohawk on dome, ear columns, neckring, back center channel frame and back top circular detail are white or off-white. Protruding area behind each ear column at top is also white or off-white.
- Indented vertical rectangle on back with ribbed surface is black.
- Aerator tube base of helmet between aerator covering and ear column, and area behind ear column and going up to frame back center channel are primer grey.
- (9) Hunter green vertical hash marks on each side of primer grey area behind ear columns.
- Helmet has two types of camo.
  - ◆ Hunter green camo with light tannish green.
  - ◆ Tannish green camo with hunter green and brown.
- Helmet dome, front face, and front aerator coverings are chrome or polished metal with hunter green camo overlaid detail.
  - ◆ Hunter green camo on aerator covering starts from top edge of vocoder indent and widens upward to align with outside edge of the center three teeth in frown.
  - ◆ Hunter green camo along center edges of lens continue from outside edge of center three teeth in frown and continue in straight vertical alignment upwards.
  - ◆ Hunter green camo on dome starts above black band and aligns with dark green camo on lens edge. Vertical alignment carries upward about 1 inch and then arcs outward around sides of the dome to connect with back corners of mohawk.
- Cheek indents and back indent behind ear columns are tannish green camo.
- Helmet has a black brow band, just above the lens, that extends around to the back of helmet.
- Grey indented helmet band around back of dome.
- Black aerators with metal grills are mounted inside the two indented front jaw tubes at base of helmet.
- Helmet frown is charcoal grey in color. Wire or plastic mesh is utilized inside the helmet to cover the open pieces of the frown.
- Ear caps are dark grey with black edging and detail.

For level two certification (if applicable):

- Helmet has the appearance of a neck ring.
- White and primer grey areas are weathered.
- Indented grey helmet band around dome has 2-tone dark grey or brown weathering randomly covering grey base.

For level three certification (if applicable):

- The (9) vertical hash marks are hand drawn with uneven ends and worn appearance.
  - ◆ Distances between lines are slightly offset.
  - ◆ A worn strike through cuts horizontally across the 2nd through 6th stripes, about 3/4 way up.
- Hunter green camo areas are weathered with scuff marks that expose underlying chrome.



#### Neck Seal

For 501st approval:

- Neck seal is black in color with vertical ribbing or being smooth in appearance.
- No logos or labels are visible.
  - ◆ If the seal is not incorporated as part of the undersuit, a balaclava or other similar covering is acceptable.



#### Under Suit

For 501st approval:

- Black non-textured material, either one-piece or two-piece construction with no visible zippers or logos.



#### Shoulder Armor

For 501st approval:

- Realistic Style Clone Shoulder Armor.
- Shoulders are tear drop in shape with all rounded edges.
- Shoulder Armor base color is chrome or polished metal with hunter green camo overlaid.
- Shoulders are tear drop in shape with all rounded edges.

For level two certification (if applicable):

- Hunter green camo is weathered and has scuff marks that expose underlying chrome or polished metal.
  - ◆ Worn paint leaves an uneven metal edge around most of the armor.



### Upper Arm Armor For 501st approval:

- Realistic Style Clone Upper Arm Armor.
- Armor base color is chrome or polished metal with hunter green camo detail.
- Hunter green camo covers entire armor except for indented area on back that remains chrome or polished metal.
- Armor has a front hard line outside edge and inside rounded edge.
  - ◆ Armor piece has a dimple on the lower area of the back of the arm.
- Armor is seamless.
  - ◆ No visible traces of how the armor was assembled are shown.

### For level two certification (if applicable):

- Hunter green camo is weathered and has scuff marks that expose underlying chrome or polished metal.
  - ◆ Worn paint leaves an uneven metal edge on portions of armor.



### Elbow Armor For 501st approval:

- Realistic Style Clone Elbow Armor.
- Armor and straps are painted in tan camo with grey and brown.
- Elbow straps have a raised detail line at the top and bottom of the strap.
- Armor has two parallel dashed detail slots on each outside edge of elbow at the strap connection.
- Elbows are mirror images of each other with a notched area on the outside of the elbow above the detail marks.
- Armor is weathered.

### For level two certification (if applicable):

- Straps have heavy application of dark grey in camo.

### For level three certification (if applicable):

- Armor has a thin hunter green border on bicep side edge.



### Forearm Armor For 501st approval:

- Realistic Style Clone Forearm Armor
- Armor is painted in light tan camo with brown and light pale green.
- Right forearm has a compad with 8 small buttons, (1) large main button, and (1) slightly smaller rectangular button closest to the elbow.
- Armor is seamless.
  - ◆ No visible traces of how the armor was assembled are shown.
- Armor is weathered.

### For level two certification (if applicable):

- Compad has detail antenna on its left.

### For level three certification (if applicable):

- Forearms have a thin hunter green edging along elbow side of forearm.



#### Hand Plates

For 501st approval:

- Realistic Style Clone Hand Plates.
- Armor is painted in light tan camo with brown and light pale green.
- Hand plates have a top curving ridge that come to a point over the index or middle finger just past the main knuckle of the hand.
- Armor is weathered.



#### Gloves

For 501st approval:

- Black over the wrist gloves made of leather, nylon, or other low pile fabrics.
- Gloves cover any exposed skin.
- Gloves do not show any labels or logos when the armor is worn.



#### Chest Armor

For 501st approval:

- Realistic Style Clone Chest Armor.
- Chest has two types of camo.
  - ◆ Hunter green camo with lighter green.
  - ◆ Tan camo with gray and brown.
- Armor has hunter green camo pillar shape design pattern that runs up the center of chest. Shape is similar to ?A? shape of 501st Trooper, but solid without the center cutouts of an ?A? shape.
  - ◆ Hunter green camo has an underlying chrome or polished metal base.
  - ◆ Pillar design is narrowest at top with about 1 3/4 inch width and widens downward.
  - ◆ Pillar design is about 3 1/2 inches wide at the elevated chest edge, and about 6 inches wide at bottom, just above top abdomen edge.
  - ◆ Pillar design flares outward along bottom edge, creating about a 1/2 inch hunter green camo border on surface that runs along the abdomen edge of chest about 3 1/2 inches.
- Remainder of chest is tan camo with grey and brown. Heavy application of dark grey covers most of the tan camo areas.
- Chest and back plate should match together at the sides with no open gap.
  - ◆ A seam line is present.
- Shoulder straps are slotted into the detail ridges of the top connection points.
- Armor is weathered.

For level two certification (if applicable):

- Hunter green camo has scuff marks that expose underlying chrome or polished metal.





### Suspenders For 501st approval:

- Realistic Clone Suspenders.
- (2) suspenders, with one over right shoulder and one over left shoulder. \*Each suspender connects to front belt box and carries over the shoulder to connect with the back belt box.
- Suspenders have shoulder strap cover pads.
- Detail frame strap connectors are attached on top of front and back belt and about 1/2 inch high.
- Frame detail are brownish grey camo with brown, and strap feeds into the frame detail.
- Suspenders have three base colors.
  - ◆ Front suspender straps are light grey.
  - ◆ Suspender covers on shoulders are tan camo with grey and brown.
  - ◆ Back suspenders are brownish grey and brown camo.
- An upside down dark grey or black trapezoid buckle is on the right suspender.
- Suspenders are weathered.



### Back Armor For 501st approval:

- Realistic Style Clone Back Armor with Detonator.
- Armor and Detonator are tan camo with grey and brown.
- No back plate detail is required because it is covered by the Radio Pack.
- Thermal detonator is centered on lower back.
  - ◆ Detonator is tan camo with brown and grey.
  - ◆ Seven buttons on left side are white.
  - ◆ End cap detail has center knob that is white.
  - ◆ Detonator is connected by two protruding brackets.
- Back and chest armor match together at the sides with no open gap.
  - ◆ A seam line is present.
- Shoulder straps are slotted into the detail ridges of the top connection points.
- Armor is weathered.

#### For level two certification (if applicable):

- Back lower sides and area below back box have brownish grey and brown camo overlaid.

#### For level three certification (if applicable):

- Bottom edges of back box edging has scuff marks that expose underlying chrome or polished metal.



### Radio Pack For 501st approval:

- Realistic Style Clone Radio Pack.
- Radio pack is tan camo with brown and grey.
- Radio pack covers back detail box.
- Radio detail on back surface is white.
  - ◆ Flat horizontal rectangle plate is located in center back plate of radio.

- ◆ Horizontal rod is located below flat plate, and extends from around left side of radio and across back ending in alignment with right edge of flat plate above.
- ◆ Bottom row detail has slender rectangle flat plate on left and aligned horizontally with 3 circle knobs on right.
- Top cover has two detail buttons on left side and a detail knob and one square button on right.
- Two connecting rectangle panels extend from back of radio at top and sit flush with back armor box surface.
- Metal or silver colored antenna extends up from top left of radio and has a black base connector.
- Round dials are centered on each side of radio and aligned with flat horizontal plate on back.

For level two certification (if applicable):

- Radio white detail parts are weathered with grey and brown.



Abdomen Armor  
For 501st approval:

- Realistic Style Abdomen Armor.
- Armor is tan camo with brown and grey.
- Eight 1/4" diameter holes, with four holes inside each indented channel of the abdomen.
- Abdomen section wraps around the wearers body and is sealed at sides or at back.
- Abdomen is completely contained under the chest and back armor.
- Armor aligns with codpiece with the seam line hidden by the belt.
- Armor is weathered.

For level two certification (if applicable):

- Seam line along sides or back has no gap.



Codpiece and Posterior Armor  
For 501st approval:

- Realistic Style Clone Cod and Posterior Armor.
- Armor is covered in two different camo tones.
  - ◆ Front of Codpiece and back of Posterior are light tan camo with brown and light pale green.
  - ◆ Sides of Codpiece and Posterior are hunter green camo with light tannish green.
- Cod light tan camo pattern angles inward along the sides then upwards at a slight inward angle.
- Cod hunter green camo along sides continues around back on Posterior and ends at back protruding plate.
- Chrome or polished metal side connectors and edge where Cod and Posterior armor connect on hips.
- Armor is weathered.

For level two certification (if applicable):

- Hips have correct detail connector snap and edge feature at the codpiece and posterior side connection.

For level three certification (if applicable):

- Front of Codpiece has two detail brown lines that run down the front center of Cod to the top corners of the indented edge line on bottom of

Cod. Then the lines angle back from the corner in parallel alignment with side edges to the hunter green camo.



### Belt

For 501st approval:

- Belt, boxes and detonator are tan camo with brown and grey.
- Belt front, between front boxes, has three vertical rectangle indents which are spaced apart by two protruding rectangle areas.
  - ◆ The rest of the belt is flat surfaced with raised edging on top and bottom that run along the rest of the belt.
- Eight Belt Boxes are attached to Belt, with four on each side.
  - ◆ The two largest Boxes are in front with angled top surface that is higher toward the center.
  - ◆ The smallest boxes are located behind the front boxes, about 1/8 inch apart and have an angled end on top.
  - ◆ The medium sized matching boxes, with flat top cover, are about 1/8 inch from smallest boxes.
  - ◆ Left rear box is spaced closer to detonator and has two square buttons in the top left corner, and two dashed indented detail marks on bottom right.
- Right rear box is spaced closer to detonator and has a bar with two small cylinders centered, and two dashed indented detail marks on bottom left.
- A detonator is centered and attached to back of Belt.
  - ◆ Detonator tube is about 2 1/4 inch diameter with wider detailed end caps.
  - ◆ Seven horizontally aligned square buttons are on left side of tube, facing backwards.
- Suspender belt box frame connector detail is on top of front two and back two belt boxes.
- Belt, Boxes and Detonator are weathered.

For level two certification (if applicable):

- Boxes are notched on back and fit flush to belt.

For level three certification (if applicable):

- Back of belt, between rear boxes, has horizontal ribbing.
- Detonator connects to back of belt without any visible clips and is firmly secured in horizontal position.



### Thigh Armor

For 501st approval:

- Realistic Style Clone Thigh Armor.
- Armor is light tan camo with brown and light pale green.
- Left thigh has a narrow elongated vertical pouch that is white.
  - ◆ Pouch has angled surface with top flap and centered button detail.
  - ◆ Pouch is held in place with a 2 inch wide strap that is painted tan camo with brown and grey.
- Thigh Armor has a flat triangle area above the knee which transitions to a ridge line that runs up the front of the thigh to the top edge.
- Rear of armor has an indented area.
- Left thigh has a narrow elongated vertical pouch that is white.
  - ◆ Pouch has angled surface with top flap and centered button detail.
  - ◆ Pouch is held in place with a 2 inch tan camo with brown and grey strap.



- Armor is seamless.
  - ◆ No visible traces of how the armor was assembled are shown.
- Armor is weathered.

For level two certification (if applicable):

- Outside lower portion of the thighs come to a point and inner lower end is rounded.
- Pouch strap has heavier covering of grey on front thigh part of strap.

For level three certification (if applicable):

- Leg strap is leather or leather like vinyl material.
- Leg pouch design is movie accurate and functional.



Knee Armor

For 501st approval:

- Realistic style knee armor.
- Knee armor and side clips are light tan camo with brown and light pale green.
- Straps are brownish grey with brown camo.
- Knees have a protruding flat area in front oriented towards the top of Knee.
- Knees bend around the front and connect to white detail clips that connect the strap on each side.
- Strap is about 2 inches wide and wraps around back of leg.
- Armor is weathered.

For level two certification (if applicable):

- Strap has raised 5/8 Inch wide center strap that is colored the same as main strap with brownish grey and brown camo.



Lower Leg Armor

For 501st approval:

- Realistic Style Clone Lower Leg Armor.
- Armor is panted matte or semi-gloss black.
- Two parallel vertical blue stripes about 1/2 inch wide each and 3/4 inch apart run down the center of the outside facing side of each lower leg armor.
  - ◆ Back stripe is aligned with raised point on outside top edge of armor.
  - ◆ Both stripes run full length of armor from top to bottom edge.
  - ◆ Stripes align with stripes on the thigh armor.
- Front of lower leg has a flat triangular detail at the top which transitions to a ridge line that travels down the front of the armor to the ankle.
- Back of the lower leg has an indented arched area that continues down to the ankle.
- Bottom of the back side has an arched half circle engraved line at the heel.
- Armor is seamless, except where the calf spoon connects to the back of the lower leg indent edge.
- Blue areas are weathered with various scuff marks.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Calf spoon inserts connect to lower leg inside and are secured to keep in place.

For level three certification (if applicable):

- Lower Leg Armor has black metallic look like very dark chromite metal.



Boots

For 501st approval:

- Realistic Style Clone Boots.
- Boots are black with strap and sole that is brownish grey and brown camo, and has white detail discs.
- Boots are ankle high or tall enough to cover the ankle and eliminate any black undersuit visible at the ankle.
- Boots are lace-less.
- The boots have armor detail to include a natural seam at the toe and a strap that goes over the top of the foot with two protruding disks at each side of the strap.
- There are no markings or labels from the shoe makers.
- Boot soles are flat.
- Boots are weathered.

## Optional Accessories

Items below are optional costume accessories. These items are not required for approval, but if present appear as described below.



DC-15S Blaster

For 501st approval:

Manufactured by BlasTech Industries the DC-15S is smaller in scale than the DC-15A blaster rifle. Although it has a shorter range than that of the "A" model, it is easier to handle with a higher rate of fire. It features a folding stock for braced firing.

- Realistic Clone Style DC-15S Blaster.
- Blaster may be scratch built out of plastic, wood, metal or cast in resin.
- Blaster has realistic Episode II or Episode III details:
  - ◆ Wire frame sight.
  - ◆ Folding stock.
  - ◆ (12) radiator fins evenly spaced along the length of barrel.
  - ◆ Igniter detail knobs.
  - ◆ Charge magazine clip on right side.
- Total length is approximately 26" (66 cm).
- Because of the scale, the Hasbro version is incorrect.

For level two certification (if applicable):

- Charge magazine detail on clip is metal to gun metal grey in color.
- Detail bolts and screws are metal to gun metal grey in color.
- Igniter knobs have some copper coloring.
- Blaster is weathered.

For level three certification (if applicable):

- Functioning Blue LED is installed in barrel.



### DC-15A Blaster Rifle

For 501st approval:

Manufactured by BlasTech Industries, the DC-15A is a tibanna gas, cartridge powered weapon. Hyper-ionized blue plasma bolts are more than capable of penetrating armored units. Exceptionally effective against both droids and contemporary targets.

- Realistic Clone Style DC-15A Blaster Rifle.
- Blaster rifle is scratch built out of plastic, wood, metal or cast in resin.
- Blaster has realistic Episode II or Episode III details:
  - ◆ Flip up sight in down position.
  - ◆ (10) radiator fins evenly spaced along the length of barrel.
  - ◆ Power setting adjuster detail lever.
  - ◆ Sniper Scope attached under rifle in storage position.
  - ◆ Charge magazine clip on left side.
  - ◆ Igniter detail knobs.
- Total length is approximately 55 inches (139.7 cm).
- Because of the scale, the Hasbro version is not allowed.

For level two certification (if applicable):

- Charge magazine detail on clip is metal to gun metal grey in color.
- Detail bolts and screws are metal to gun metal grey in color.
- Igniter has some copper coloring.
- Power setting adjuster detail lever is metal or gun metal grey.
- Sniper scope is metal or gun metal grey.
- Blaster is weathered.

For level three certification (if applicable):

- Functioning Blue LED is installed in barrel.



### Macrobinoculars

For 501st approval:

- Realistic Style Episode III Clone Binoculars.
- Binoculars are white with green details.
- Binoculars are horizontally flat shaped with a single horizon lens viewer.
- Green detail pattern creates a border edge along top of lens viewer with two spaces at top center.
- Another green angled pattern covers the top surface.
- Top surface has a round dial, and indented rectangle area with a forward facing small stubbed antenna.
- Rounded sides have inset yellow-gold colored ribbed tube handle grips.
- Blue outward facing lens, and fluorescent green lens on viewers side.
- Red dot light located on upper left corner of front facing surface.

For level two certification (if applicable):

- Florescent green lens is illuminated.

For level three certification (if applicable):

### Emperor Palpatine Holodisk Communicator

For 501st approval:

A disc-shaped device which allows the transmission and recording of holographic communications.



- Realistic Style Episode III Clone Holodisk Communicator with blue translucent Emperor Palpatine.
- Communicator has a black base with metallic top cover detail.
- Communicator is disc shaped with a smaller diameter flat disc centered on top.
- Three triangle pointer details evenly spaced along top outside edge that point to center.

For level two certification (if applicable):

- Blue translucent Emperor Palpatine is illuminated from under it's base.

---

This document and all of the images within were created by and are the property of the 501st Legion. All other uses are prohibited.

- [This CRL is available as a PDF](http://www.501st.com/databank/Costuming:CC_CommanderGree) at [www.501st.com/databank/Costuming:CC\\_CommanderGree](http://www.501st.com/databank/Costuming:CC_CommanderGree)

The 501st Legion is a worldwide Star Wars costuming organization comprised of and operated by Star Wars fans. While it is not sponsored by Lucasfilm Ltd., it is Lucasfilm's preferred Imperial costuming group. Star Wars, its characters, costumes, and all associated items are the intellectual property of Lucasfilm. ©2012 Lucasfilm Ltd. & TM. All rights reserved. Used under authorization.

Visit [www.501st.com](http://www.501st.com) to learn more.