

COSTUME REFERENCE LIBRARY

Commander Neyo (ROTS)



Model **CC 6838**, Photo by **Damon Israel**



Description: Commander Neyo (RotS)

Prefix: CC

Detachment: Clone Trooper Detachment

Context: Episode III: Revenge of the Sith

Neyo, serves in the Grand Army of the Republic as a commander of the 91st Reconnaissance Corps. During a speeder patrol on Saleucami with General Stass Allie, Neyo received "Contingency Order 66" from Supreme Chancellor Palpatine. Obeying this directive without question, Neyo and the 91st carried out their order to eliminate the former Jedi and Republic General.

The 501st approval requirements are listed in black.

In the page below, items listed in blue are recommended features that will improve the quality of the costume. Items listed in red are intended to further enhance the finished costume.

For 501st membership only the requirements in black need to be met.

This Visual Guide has been reviewed by the detachment staff and the LMO team and is certified for use as a minimum approval guideline for GMLs. GMLs are free to approve this costume type.

- Any uncertainties or questionable aspects of the submitted costume should be brought to the appropriate DL/GML peer review section of the legion forum.

Required Costume Components

The following costume components are present and appear as described below.



Helmet

For 501st approval:

- Realistic Style ROTS Phase II Clone Helmet with modified front face.
 - ◆ Fan-made helmet.
 - ◆ Some "name brand" helmets may be unacceptable.
- Helmet is painted matte or satin white.
- Helmet mohawk on dome.
- Red split circle "91st Reconnaissance Corps" symbol, about 2 7/8 inch diameter, on dome above right eye.
 - ◆ Center line detail of symbol is slightly angled forward and has an inner circle toward the top.
- Helmet has a black brow band, just above the eye lens, that extends around to the back of helmet.
- Black eye lens has an elongated "W" angled shape.
- A small triangle vent is centered below the eye lens.
- Helmet frown consists of small square vent holes with higher center angle than standard Phase II helmet.
 - ◆ Wire or plastic mesh is placed behind center triangle vent and frown vent holes.
- Front bottom edge of helmet is rounded with a carved out chin opening.
- Black detail greeble, with ridge pattern oriented forward, is imbedded in chin opening.
- Small aerators are mounted on front side wall of indented cheeks and point backwards.
- (9) Dark blue vertical hash marks on each side of helmet cheek.
- Ear caps are dark grey with black edging and detail.
- Grey indented helmet band around back of dome.
- Red areas are weathered with various scuff marks.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- **Helmet has an enclosed complete neck ring that seals the helmet to the neck.**



Neck Seal

For 501st approval:

- Neck seal is black in color with vertical ribbing or being smooth in appearance.
- No logos or labels are visible.
 - ◆ If the seal is not incorporated as part of the undersuit, a balaclava or other similar covering is acceptable.



Under Suit
For 501st approval:

- Black non-textured material, either one-piece or two-piece construction with no visible zippers or logos.



Shoulder Armor
For 501st approval:

- Realistic style shoulder armor.
- Shoulders are tear drop in shape with all rounded edges.
- Armor is painted matte or satin white.
 - ◆ Left shoulder is painted red with a white trim boarder about 1/2in wide.
 - ◆ Right shoulder is painted white with a Command Harness spaulder.
- Armor is weathered with shades of grey.



Upper Arm Armor
For 501st approval:

- Realistic style Upper Arm Armor.
- Armor has a front hard line outside edge and inside rounded edge, with indented area on back.
- Armor is painted matte or satin white.
 - ◆ Right upper arm has a red split circle, "91st Reconnaissance Corps" symbol, about 2.75 inch diameter, on outside facing surface.
 - ◆ Center line detail of symbol is pointed down with inner circle toward the top.
- Armor is seamless.
 - ◆ No visible traces of how the armor was assembled are shown.
- Red areas are weathered with various scuff marks.
- Armor is weathered with shades of grey.



Elbow Armor
For 501st approval:

- Realistic style elbow Armor.
- Armor is painted matte or satin white.

- Elbow straps have a raised detail line at the top and bottom of the strap.
- Armor has two parallel dashed detail slots on each outside edge of elbow at the strap connection.
- Armor is weathered with shades of grey.



Forearm Armor
For 501st approval:

- Realistic style forearm armor
- Armor is painted matte or satin white.
- Right forearm has a compad with 8 small buttons, 1 large main button, and 1 slightly smaller rectangular button closest to the elbow.
- Armor is seamless.
 - ◆ No visible traces of how the armor was assembled are shown.
- Armor is weathered with shades of grey.



Hand Plates
For 501st approval:

- Realistic style hand plates.
- Armor is painted matte or satin white
- Hand plates have a top curving ridge that come to a point over the index or middle finger just past the main knuckle of the hand.
- Armor is weathered with shades of grey.



Gloves
For 501st approval:

- Black over the wrist gloves made of leather, nylon, or other low pile fabrics.
- Gloves cover any exposed skin.
- Gloves do not show any labels or logos when the armor is worn.



Chest Armor
For 501st approval:

- Realistic style Chest Armor.
- Armor is painted matte or satin white.
- Two detail slots on lower outside edge of right raised chest area.
- Armor has a red split circle, "91st Reconnaissance Corps" symbol, about 4.25 inches diameter, centered on lower front chest, between raised upper chest area and curved notch at abdomen.
 - ◆ Center line detail of symbol is pointed down with inner circle toward the top.
- Chest and back armor match together at the sides with no open gap.
 - ◆ A seam line is present.

- Shoulder straps are slotted into the detail ridges of the top connection points.
- Armor is weathered with shades of grey.



Command Harness
For 501st approval:

- Realistic Style Command Harness.
- Brown shoulder spaulder attached over right shoulder armor and aligned with top edge of bell.
 - ◆ Wider end faces away from shoulder strap.
- Shoulder strap harness connector attaches over the right shoulder strap.
 - ◆ Harness connection has a silver strap connector on front and back, with center band colored Brown.
- Front grey belt strap is 2 inches wide and extends from the top of the two front belt boxes and feeds through front harness connector.
- The right belt box strap runs up and into the harness connector from behind, then feeds outward over front and crosses the chest down to left belt box. *Front belt boxes each have a small, 1/2 inch high, grey connector frame detail on top that strap feeds into.
- A silver buckle is secured at the center of the cross over strap.
- Back - grey belt strap is 2 inches wide and attaches to back harness connector and extends down to the rear right belt box, next to the detonator.
- Rear right belt box has a small 1/2 inch high grey connector frame detail on top that strap feeds into.

For level two certification (if applicable):

- Brown shoulder spaulder is wrapped in Brown leather or vinyl type material.
 - ◆ Material is stretched around each corner with no flaps or flimsy material edges.
- Harness connector band in center is wrapped in brown leather or vinyl material with no flaps or flimsy material.
- Command Harness is weathered.

For level three certification (if applicable):

- Harness straps are snug against the armor with no loose or flimsy strap material.



Back Armor
For 501st approval:

- Realistic Style back armor.
- Armor is painted matte or satin white.
- Thermal detonator with three buttons is attached to top of back box area by two protruding brackets that angle towards the back.
- Back has a detail plate with four circles on top, two elongated areas on left, and vents on lower right.
- Two radio boxes are aligned horizontally in the recessed area below the Back box.
 - ◆ Radio boxes are painted matte or satin white with black antennae on top.
- Back and chest armor match together at the sides with no open gap.
 - ◆ A seam line is present.

- Shoulder straps are slotted into the detail ridges of the top connection points.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Highly detailed resin Back box plate cover with circuitry insets.



Abdomen Armor
For 501st approval:

- Realistic style abdomen Armor
- Armor is painted matte or satin white.
- Eight 1/4" diameter holes, with four holes inside each indented channel of the abdomen.
- Abdomen section wraps around the wearers body and is sealed at sides or at back.
- Abdomen is completely contained under the chest and back armor.
- Armor aligns with codpiece with the seam line hidden by the belt.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Seam line along sides or back has no gap.



Codpiece and Posterior Armor
For 501st approval:

- Realistic style Codpiece and and posterior armor.
- Armor is painted matte or satin white.
- Cod and posterior armor connect at the hips.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Hips have correct detail connector snap and edge feature at the codpiece and posterior side connection.



Belt
For 501st approval:

- Realistic style belt, boxes, and detonator.
- Belt, boxes and detonator are painted matte or satin white.
- Belt front, between front boxes, has three vertical rectangle indents which are spaced apart by two protruding rectangle areas.
 - ◆ The rest of the belt is flat surfaced with raised edging on top and bottom that run along the rest of the belt.
- Eight Belt Boxes are attached to Belt, with four on each side.
 - ◆ The two largest Boxes are in front with angled top surface that is higher toward the center.
 - ◆ The smallest boxes are located behind the front boxes, about 1/8 inch apart and have an angled end on top.
 - ◆ The medium sized matching boxes, with flat top cover, are about 1/8 inch from smallest boxes.
 - ◆ Left rear box is spaced closer to detonator and has two square buttons in the top left corner, and two dashed indented detail marks on bottom right.
- Right rear box is spaced closer to detonator and has a bar with two small cylinders centered, and two dashed indented detail marks on

bottom left.


- A detonator is centered and attached to back of Belt.
 - ◆ Detonator tube is about 2 1/4 inch diameter with wider detailed end caps.
 - ◆ Seven horizontally aligned square buttons are on left side of tube, facing backwards.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Boxes are notched on back and fit flush to belt.

For level three certification (if applicable):

- Back of belt, between rear boxes, has horizontal ribbing.
- Detonator connects to back of belt without any visible clips and is firmly secured in horizontal position.



Thigh Armor

For 501st approval:

- Realistic style thigh armor.
- Armor is painted matte or satin white.
- Thigh Armor has a flat triangle area above the knee which transitions to a ridge line that runs up the front of the thigh to the top edge.
- Rear of armor has an indented area.
- Armor is seamless.
 - ◆ No visible traces of how the armor was assembled are shown.
- Right thigh has a split circle "91st Reconnaissance Corps" symbol, about 5 inch diameter, located on right side facing surface and slightly off center towards top and towards the front.
 - ◆ Center line detail of symbol is pointed down with inner circle toward the top.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Outside lower portion of the thighs come to a point and inner lower end is rounded.



Knee Armor

For 501st approval:

- Realistic style knee armor.
- Armor is painted matte or satin white.
- Knees have a protruding flat area in front oriented towards the top of Knee.
- Knees bend around the front and connect to white detail clips that connect the strap on each side.
- A white colored flat strap, about 2 inches wide, wraps around back of leg.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Flat Strap has raised 5/8 Inch wide grey center strap.

Lower Leg Armor

For 501st approval:



- Realistic style lower leg armor.
- Armor is painted matte or satin white.
- Front of lower leg has a flat triangular detail at the top which transitions to a ridge line that travels down the front of the armor to the ankle.
- Back of the lower leg has an indented arched area that continues down to the ankle.
- Bottom of the back side has an arched half circle engraved line at the heel.
- Armor is seamless, except where the calf spoon connects to the back of the lower leg indent edge.
- Armor is weathered with shades of grey.

For level two certification (if applicable):

- Calf spoon inserts connect to lower leg inside and are secured to keep in place.



Boots

For 501st approval:

- White, ankle high or tall enough to cover the ankle and eliminate any black undersuit visible at the ankle.
- Boots are lace-less.
- The boots have armor detail to include a natural seam at the toe and a strap that goes over the top of the foot with two protruding disks at each side of the strap.
- There are no markings or labels from the shoe makers.
- Boot soles are flat.
- Boot soles are colored primer grey.

Optional Accessories

Items below are optional costume accessories. These items are not required for approval, but if present appear as described below.



DC-15S Blaster

For 501st approval:

Manufactured by BlasTech Industries the DC-15S is smaller in scale than the DC-15A blaster rifle. Although it has a shorter range than that of the "A" model, it is easier to handle with a higher rate of fire. It features a folding stock for braced firing.

- Realistic Clone Style DC-15S Blaster.
- Blaster may be scratch built out of plastic, wood, metal or cast in resin.
- Blaster has realistic Episode II or Episode III details:
 - ◆ Wire frame sight.
 - ◆ Folding stock.
 - ◆ (12) radiator fins evenly spaced along the length of barrel.
 - ◆ Igniter detail knobs.
 - ◆ Charge magazine clip on right side.
- Total length is approximately 26" (66 cm).
- Because of the scale, the Hasbro version is incorrect.

For level two certification (if applicable):

- Charge magazine detail on clip is metal to gun metal grey in color.
- Detail bolts and screws are metal to gun metal grey in color.
- Igniter knobs have some copper coloring.
- Blaster is weathered.

For level three certification (if applicable):

- Functioning Blue LED is installed in barrel.



DC-15A Blaster Rifle
For 501st approval:

Manufactured by BlasTech Industries, the DC-15A is a tibanna gas, cartridge powered weapon. Hyper-ionized blue plasma bolts are more than capable of penetrating armored units. Exceptionally effective against both droids and contemporary targets.

- Realistic Clone Style DC-15A Blaster Rifle.
- Blaster rifle is scratch built out of plastic, wood, metal or cast in resin.
- Blaster has realistic Episode II or Episode III details:
 - ◆ Flip up sight in down position.
 - ◆ (10) radiator fins evenly spaced along the length of barrel.
 - ◆ Power setting adjuster detail lever.
 - ◆ Sniper Scope attached under rifle in storage position.
 - ◆ Charge magazine clip on left side.
 - ◆ Igniter detail knobs.
- Total length is approximately 55 inches (139.7 cm).
- Because of the scale, the Hasbro version is not allowed.

For level two certification (if applicable):

- Charge magazine detail on clip is metal to gun metal grey in color.
- Detail bolts and screws are metal to gun metal grey in color.
- Igniter has some copper coloring.
- Power setting adjuster detail lever is metal or gun metal grey.
- Sniper scope is metal or gun metal grey.
- Blaster is weathered.

For level three certification (if applicable):

- Functioning Blue LED is installed in barrel.

This document and all of the images within were created by and are the property of the 501st Legion. All other uses are prohibited.

- [This CRL is available as a PDF at www.501st.com/databank/Costuming:CC_CommanderNeyo](http://www.501st.com/databank/Costuming:CC_CommanderNeyo)

The 501st Legion is a worldwide Star Wars costuming organization comprised of and operated by Star Wars fans. While it is not sponsored by Lucasfilm Ltd., it is Lucasfilm's preferred Imperial costuming group. Star Wars, its characters, costumes, and all associated items are the intellectual property of Lucasfilm. ©2012 Lucasfilm Ltd. & TM. All rights reserved. Used under authorization.

Visit www.501st.com to learn more.